Pulses Packaging Machine Single Four Weigh Hoppers & Single Station 10/25/50 Kg.



Excellent Milling Properties...

CAPACITY INFORMATION:

While it varies according to the product to be bagged and the tolerance required, the values relating to the packaging speed below shall provide some information about the capacity of the system.

- 4,5 ton/hour in 10 kg bagging
- 10 ton/hour in 25 kg bagging
- 17,5 ton/hour in 50 kg bagging

The tolerance per package varies between ± 0.15 kg in the 50-kg packaging. In addition to this, it is undertaken to be operated with 17,5 ton/hour capacity in the products such as flour or in similar characteristics with the average error share per package.

PACKAGING SET VALUES

The package filling weights could be preferred between 10 - 25 - 50 kg by the operator.







Pulses Packaging Machine Single Four Weigh Hoppers & Single Station 10/25/50 Kg.


Product Data Sheet





Pulses Packaging Machine Single Four Weigh Hoppers & Single Station 10/25/50 Kg.

Product Data Sheet



| TECHNICAL FEATURES | |
|--------------------------------|----------------------------------|
| Type of Product to Be Packed | Wheat, Chickpeas, Lentils, Beans |
| Density (Flour) | Variable |
| Maximum Weighing Weight | Variable |
| Weighing Range -Options | 10 - 25 - 50 Kg |
| Weighing Accuracy | ±% 0,3 |
| Top Bunker Capacity | 2.130 Liter |
| Platter Capacity | 100 Liter |
| Output Capacity 10 Kg | 4,50 Ton/Hour (For Wheat) |
| Output Capacity 25 Kg | 10,00 Ton/Hour (For Wheat) |
| Output Capacity 50 Kg | 17,50 Ton/Hour (For Wheat) |
| Weighing Units 10 Kg | 450 Pack./Hour |
| Weighing Units 25 Kg | 400 Pack./Hour |
| Weighing Units 50 Kg | 350 Pack./Hour |
| System Pressure | 6 - 8 Bar |
| Air Supply (m³/Min) | 10 m³/Min |
| Power Supply (VAC) (+5% - 10%) | 400 VAC / 50-60 Hz. |
| Electricity consumption | 2,9 kW/Hour |
| Weight | 1.940 Kg |